Classe 20

A product by Rancilio Group

Classe 20

Brewing Just Got Better



ENGLISH





Brewing Just Got Better

Classe 20 raises the status of the category in terms of both performance and functionality, introducing a revolutionary system to control temperature stability, an intelligent interface and an entirely different approach to diagnostics.

Rancilio Classe 20

Brewing Technology

Classe 20 pairs Rancilio's signature high quality with your choice of innovative solutions for thermal control.



2

Coffee Intelligence

Easy access to settings at all levels and advanced functions to ensure every cup is exactly the quality you demand.





3

Design

The distinctive features of Classe 20 recalls the design of all Rancilio coffee machines.


4

Cleaning and Maintenance

Keeping your machine in perfect condition is easier than ever, with innovative features designed for hygiene and user experience.



Brewing Technology




Intro

Classe 20 is available in two versions with different thermal control systems developed by Rancilio LAB. Classe 20 SB introduces the Steady Brew patent, Classe 20 ASB presents an innovative multi-boiler system with independent groups.

Advanced Steady Brew ASB Version

Each independent group is equipped with a micro-boiler and a heating element, to guarantee thermal stability for both water temperature and group body, offering maximum accuracy at every cup. In the Advanced Steady Brew version, baristas can set different water temperatures for each group via interface.



Steady Brew Versione SB

SB is the technological solution that revolutionises Rancilio coffee machines' hydraulic system. By keeping water temperature steady, it guarantees maximum repeatability during extraction, both during work peaks and in low-usage conditions. The temperature for each group can be adjusted during installation.

Rancilio Patented Technology

T-Switch (Only on SB Version)

Thanks to the 4-position T-Switch knob, a different extraction temperature can be set for each group, even for single boiler coffee machines. With the boiler adjusted to 1.0 bar, a temperature of approx. 88°C, 93°C, 96°C or 98°C can be set on each group and the right extraction temperature for each type of coffee is always available. The T-Switch can only be adjusted by specialised technicians during installation by removing the cup warmer.

Steam and Water



Cool Touch Steam Wand

The cool touch steam wand is thermally insulated with a double protective coating. Cool touch technology limits the accumulation of milk fat deposits on steam wands facilitating cleaning operations.

C-lever

The C-lever steam valve is operated by rotating the knob just 25°. Turning it upwards, the valve stays open. By turning it downwards, the valve opens and automatically closes when released.

R iSteam

The iSteam wand features two buttons: "Cappuccino" to heat and froth milk, or "Latte" to heat only.

• Rancilio patented Technology

R X-Tea

Baristas can program water dosages and temperature levels via the digital touchscreen interface.



Coffee Intelligence

Touchscreen interface

Through the easy-to-use 4.3" touchscreen display, baristas can adjust coffee and water settings and control all the machine's parameters in real time. Swipe left or right with two fingers to quickly navigate through the various menus.

6 LANGUAGES MENU: ENGLISH, ITALIAN, GERMAN, FRENCH, SPANISH, PORTUGUESE



Groupheads with Dedicated Displays (Only ASB Version)

A dedicated screen for each brew group, displaying a digital timer for each shot, the extraction temperature indicator and an integrated button click feeling to start and stop continuous brewing.



Rancilio Drive System

Rancilio Drive System provides three different, password-protected menus to offer the best user experience to baristas, managers and technicians.



Ergonomic portafilter

The portafilter is fitted with a ergonomic handle, designed to allow baristas to move wrists smoothly for maximum comfort.



Strong and Elegant Standing

Design

A solid machine body enhanced by a line of light, running seamlessly along the curved sides and the top of the control panel. The quality of the materials, such as steel and satin-finish aluminium, give the work area a distinct look, make Classe 20 stand out with Rancilio coffee machines' signature design.



•	•	•	•	•	•	•	•	•	•	•	•	•	
•		•	•	•	•		•	•	•	•	•		•
•		•	8	RAN	CILIO								

Materials

TOP TRAY Stainless steel FRONTAL PANEL Stainless steel painted black PANEL COVER Aluminium SIDE PANELS Plastic and stainless steel REAR PANEL Steel



Lights

The aesthetics RGB lights on the side panels, on the group covers and above the control panel, can be customised with different intensities and colours. Groupheads feature ample lighting provided by LEDs that illuminate the work area.

13

Cup Warmer

The cup warmer has five temperature levels settable via touchscreen interface and guarantees optimal heating distribution across the grid.



Tall Version

Classe 20 Tall has a taller working area and can accommodate cups up to 14.5 cm in height. It also features an extractable rise plate for traditional espresso cups.




MAX CUP HEIGHT 14.5 cm / 5.7 in

Green

Energy Saving

Insulated steam boiler, smart energy management and optional low power mode, deactivating one of the three heating elements.



ABM is a specific software developed to improve the performance of the machine in intense use conditions. When simultaneously brewing espresso, dispensing water and steaming milk, ABM switches on the heating element to pre-empt any drops in temperature and ensure constant heating levels. ABM also allows control of the machine's power absorption, reducing it to 2/3 of the normal value where power availability is low.

Rancilio Patented Technology





Cleaning and Maintenance

Easy Clean

Easy Clean manages the cleaning process of the group heads, so it can perform it all automatically. The barista need only start the cycle, and the machine will automatically carry out the washing and rinsing operations. Easy Clean also allows you to schedule 3 daily alarms to warn the user of the need for a cleaning cycle, set an optional block on the machine in the event of a missed cleaning cycle, and view the history of all cleaning cycles performed.

Advanced Diagnostic

The "Technical" menu includes a "Service" function allowing users to test all the machine's systems, to simply tap on the interface to check all components are in good working order, and to pinpoint faults or technical problems without having to inspect internal elements.



FAST MENU: TWO FINGERS SWIPE ON THE RIGHT TO ACCESS TO THE FAST MENU





Grid System

The removable cup tray grids are made of scratch-resistant polymer, which makes them conveniently dishwasher-safe. They are designed to allow coffee residues to flow directly into the drain tray, keeping the working area clean.

Snap&Share

Snap&Share is a QR Code reader app that allows users to share Classe 20's technical parameters, track maintenance operations, monitor consumption and register a new product to activate the warranty.

Classe 20 ASB / ASB TALL

ASB Advanced Steady Brew

Key Features



STANDARD

- + MULTI-BOILER SYSTEM
 - + TOUCHSCREEN INTERFACE

+ ADVANCED STEADY BREW

- + X-TEA
- + C-LEVER
- + COOL TOUCH STEAM WAND
- + DIGITAL DISPLAY (PER GROUP)
- + LED LIGHTS (WORK AREA)
- + RGB LIGHTS (GROUP COVERS, CONTROL PANEL, SIDE PANELS)
- + BRASS ERGONOMIC PORTAFILTER
- + CUP WARMER (WITH TEMPERATURE SENSOR)
- + ABM
- + AUTO ON/OFF
- + GRID SYSTEM
- + EASY CLEAN
- + ADVANCED DIAGNOSTIC
- + SNAP&SHARE

OPTIONAL

+ iSTEAM

- + PODS&CAPS
- + CONNECT

Technical Specifications

2GR / 2GR TALL

W × D × H 775 × 568 × 550 mm 30.5 x 22.4 x 21.6 in

WEIGHT 74 kg / 163.1 lb

BOILER 11 | / 2.4 gal UK / 2.9 gal US

MICRO-BOILER 2x 150 ml (250 W)

POWER SUPPLY 220-240 V, 50-60 Hz 5210-5350 W 220-240 V (3N), 50-60 Hz 5210-5350 W 380-415 V (3N), 60 Hz 5210-5350 W

WATER SUPPLY

Fixed water connection

NOISE LEVEL DURING USE < 70 db

Tall Version



MAX CUP HEIGHT 14.5 cm / 5.7 in 3GR / 3GR TALL

W × D × H 1015 x 568 x 550 mm 40 x 22.4 x 21.6 in

WEIGHT 85 kg / 187.4 lb

BOILER 16 | / 3.5 gal UK / 4.2 gal US

MICRO-BOILER 3x 150 ml (250 W)

POWER SUPPLY

220-240 V, 50-60 Hz 6560-6730 W 220-240 V (3N), 50-60 Hz 6560-6730 W 380-415 V (3N), 50-60 Hz 6560-6730 W

WATER SUPPLY

Fixed water connection

NOISE LEVEL DURING USE < 70 db

Classe 20 SB / SB TALL

SB Steady Brew

Key Features

STANDARD



- + STEADY BREW
- + TOUCHSCREEN INTERFACE
- + X-TEA
- + C-LEVER
- + LED LIGHTS (CONTROL PANEL, SIDE PANELS, WORK AREA)
- + RGB LIGHTS (GROUP COVERS)
- + BRASS ERGONOMIC PORTAFILTER
- + ABM
- + AUTO ON/OFF
- + EASY CLEAN
- + GRID SYSTEM
- + ADVANCED DIAGNOSTIC
- + SNAP&SHARE

OPTIONAL

- + T-SWITCH
 - + iSTEAM
 - + COOL TOUCH STEAM WAND
 - + RGB LIGHTS (CONTROL PANEL, SIDE PANELS)
 - + PODS&CAPS
 - + CUP WARMER (WITH TEMPERATURE SENSOR)
 - + CONNECT

Technical Specifications

2 G R

₩ × D × H 775 × 568 × 550 mm 30.5 x 22.4 x 21.6 in

WEIGHT 74 kg / 163.1 lb

BOILER 11 | / 2.4 gal UK / 2.9 gal US

POWER SUPPLY 220-240 V (3N), 50-60 Hz 4710-4850 W 380-415 V (3N), 50-60 Hz 4710-4850 W 380-415 V (3N), 50-60 Hz 4710-4850 W

WATER SUPPLY

Fixed water connection

NOISE LEVEL DURING USE < 70 db

3GR

W × D × H 1015 x 568 x 550 mm 40 x 22.4 x 21.6 in WEIGHT 85 kg / 187.4 lb BOILER 16 I / 3.5 gal UK / 4.2 gal US POWER SUPPLY 220-240 V, 50-60 Hz 6410-6580 W 220-240 V (3N), 50-60 Hz 6410-6580 W 380-415 V (3N), 50-60 Hz 6410-6580 W

WATER SUPPLY

Fixed water connection

NOISE LEVEL DURING USE < 70 db

Tall Version



MAX CUP HEIGHT 14.5 cm / 5.7 in

Connect

Power to your Coffee Business

It doesn't matter what size your organization is, the only important thing is that you want to improve your coffee business. Connect helps you to make effective use of the data generated by your coffee machines, and support you in advancing your own journey becoming a data-driven business. It's time to take a competitive advantage in whatever marketplace you operate in.

RANCILIOGROUP.COM/CONNECT

BENEFITS


USER-FRIENDLY DASHBOARD



3 BOOST SERVICE EFFICIENCY



-INCREASE BUSINESS PERFORMANCE



EN 90011274 | 2021-10



ranciliogroup.com



an Ali Group company



The Spirit of Excellence